



## Extending the Connected Experience

Since its inception, video conferencing systems were designed primarily for large meetings. Yet, it's often the small teams that get the work done. The Lifesize Icon 400 is designed to bring the power of video collaboration to small meetings. Sized perfectly for huddle rooms and wherever small teams congregate, Lifesize Icon 400 delivers an unparalleled immersive experience that enables participants around the world to focus on sharing knowledge and achieving the objectives of the meeting. And when paired with Lifesize Cloud, there simply isn't a more powerful, yet easy-to-use video conferencing solution in the world.

### Lifesize Icon 400

- Connect with Lifesize Cloud to add seamless call escalation, corporate and meetings directories, secure firewall/NAT traversal and automatic software updates.
- Escalating to a multiparty call couldn't be easier. Simply accept an incoming call or click on a contact in your directory to add participants.
- Record meetings and share them with any number of viewers with the push of a button.
- Ad-hoc meetings begin in the unified directory. Search for a name, click and call.
- The icons on the onscreen menu clearly convey the function or operation so you can click and complete quickly.
- Start video calls quickly and easily with contacts pinned as favorites.
- Lifesize Icon 400 is easy to install and configure.
- Like all members in the Lifesize Icon Series, the Lifesize Icon 400 is designed for maximum simplicity, flexibility and value.

## Pair with Lifesize Cloud\*

Capitalize on the power of our cloud service to deliver even more substantial benefits to your business. Simple point-to-point and mobile calls that can quickly escalate to multiparty calls by clicking on a name in a directory are strong enticements to hold meetings via video. For IT, simplified setup through auto-provisioning, video network management and secure NAT/firewall traversal will accelerate deployment.

## Get on with the Meeting

Lifesize firmly believes that video calls should be rewarding experiences. That means getting the technology out of the way and making it about realizing the user's meeting objectives.

Lifesize Icon 400 achieves that goal. The simplified remote and the user interface get you into your meeting quickly. The HD image and crystal clear audio erase distance and put everyone into the same space. Small meetings are even more productive and efficient, and everyone leaves pleased because technology didn't impede meeting progress ... it actually accelerated it. It's another reason why Lifesize video calls are described as a Connected Experience.

### AT-A-GLANCE

<b>Pair with Lifesize Cloud*</b>	Shared directory, virtual meeting rooms, seamless call escalation, name-based dialing, automatic software updates and more
<b>Record and Share Calls with Lifesize Cloud Amplify*</b>	Easily record a video call or meeting from any device and automatically publish videos into your own video library
<b>Seamless Call Escalation</b>	Accept requests to join your call or add others via your directory with one simple click of your remote
<b>Remote Control</b>	Sleek design for quick and easy navigation by any user
<b>Video Quality</b>	Up to 1080p30
<b>Presentation Quality &amp; Sharing</b>	Up to 1080p; physical data port
<b>HD Display</b>	Support for one display
<b>HD Camera</b>	Pan, tilt and zoom camera with support for up to 1080p30 HD and 6x zoom
<b>Lifesize Phone HD</b>	Easy to use touchscreen powers both audio and video

\* Requires a Lifesize Cloud subscription



Lifesize Icon 400 with Lifesize Phone HD

## SYSTEM COMPONENTS

Lifesize Icon 400 with embedded PTZ camera  
Lifesize Phone HD, Phone, 2nd Generation, or Digital MicPod  
Power supply/cables  
Lifesize Remote Control

## COMMUNICATIONS

SIP, H.323, 128 Kbps–6.0 Mbps  
1 x RJ-45 Network LAN 10/100  
1 x Lifesize Link for Lifesize Phone HD, Phone, 2nd Generation, or Digital MicPod

## SUPPORT FOR SINGLE DISPLAY

Any display with HDMI input supporting 720p or 1080p video modes

## 1080P30 ZOOM CAMERA

Wide-angle zoom lens with 70-degree field of view  
3x optical zoom, 2x digital zoom, 6x total  
Auto focus/automatic gain control  
10 camera presets (near or far end)

## VIDEO SPECIFICATIONS

Maximum resolution 1920x1080, 16:9 aspect ratio  
All resolutions progressive scanning  
Over 200 resolutions supported  
Example bitrates and resolutions (H.264 High Profile, AAC-LD):  
– 600 Kbps (720p30)  
– 820 Kbps (720p60)  
– 1.2 Mbps (1080p30)

## VIDEO STANDARDS

H.264 High Profile, H.264 Baseline Profile, H.263+, H.263

## VIDEO INPUTS (1 INPUT)

1 x HD Video In (up to 1080p30) HDMI enabled

## VIDEO OUTPUTS (1 OUTPUT)

1 x HD Video Out (up to 1080p30) HDMI enabled

## FULLY INTEGRATED, HD AUDIO LIFESIZE PHONE HD/DIGITAL MICPOD

90 Hz up to 22 kHz  
Audio pickup range up to 4.57 m (15 ft)  
48kHz audio sampling  
Powered by Icon 400 directly through Lifesize Link cable  
Support for one Lifesize Phone HD, Phone, 2nd Generation, or Digital MicPod  
Ships with 4 m cable (Digital MicPod) or 9 m cable (Lifesize Phone HD or Phone, 2nd Generation)  
Optional 15 m cable available

## AUDIO FEATURES

WebRTC NetEQ packet loss concealment  
Full duplex for natural conversations  
Echo cancellation for echo-free calls  
Automatic gain control  
Automatic noise reduction

## AUDIO STANDARDS

G.711, G.722, G.722.1 and G.722.1C licensed from Polycom®,  
MPEG-4 AAC-LC, MPEG-4 AAC-LD

## AUDIO INPUTS (2 INPUTS)

1 x Lifesize Link (Lifesize Phone HD, Phone, 2nd Generation, or Digital MicPod)  
1 x HD Video In

## AUDIO OUTPUTS (2 OUTPUTS)

1 x Lifesize Link (Lifesize Phone HD or Phone, 2nd Generation)  
1 x HD Video Out

## OTHER SUPPORTED STANDARDS

H.221, H.224, H.225, H.231, H.239/BFCP, H.241, H.242, H.245, H.281, RFC 3261, RFC 3264, RFC 2190, RFC 3407, RFC 2833

## USER INTERFACE & FEATURES

Simplified user interface  
Heads up remote control  
Seamless call escalation to a multiparty call  
Graphical user interface administration console  
Multiple languages supported  
Do Not Disturb mode  
Video mute  
Picture-in-picture

## LIFESIZE CLOUD\*

Seamless call escalation for video and voice participants  
Calendar, meeting directory, favorites, unified searchable directory  
Automatic provisioning  
Guest calling  
Single button recording and sharing\*\*  
Mobile calling  
Video network management  
Secure firewall traversal, plus NAT  
Automatic software updates

## SECURITY

Ability to disable HTTP, SSH services  
H.235 (AES) encryption support including strict compliance  
TLS/SRTP support  
Kensington Security Slot

## INTELLIGENT NETWORKING FEATURES

Adaptive motion control (AMC) including forward error correction (FEC) for superior video quality in all network conditions  
NAT/firewall traversal (H.460/SIP)  
Auto bandwidth detection

## DIRECTORY AND ADDRESS BOOK

Up to 100,000 directory entries  
Global search tool  
LDAP support/H.350 compliant  
Calendar/meeting directory support  
H.323 URI dialing support (Annex O)

## SYSTEM MANAGEMENT

Web interface  
Auto configuration  
SNMP  
Backup and restore capability  
1 x USB 2.0  
– Serial support

## POWER

AC voltage 100–240V, 50–60 Hz, 2.31A via external 19VDC power supply

## ENVIRONMENTAL DATA

Operating temperature: 0°C (32°F) to 40°C (104°F)  
Operating humidity: 15% to 85%, noncondensing  
Storage temperature: –20°C (–4°F) to 60°C (140°F)  
Storage humidity: 10% to 90%, noncondensing

## VIDEO DEVICE DIMENSIONS

Width: 216.5 mm (8.52")  
Depth: 119.4 mm (4.70")  
Height: 125.4 mm (4.94")  
Weight: 1.04 Kg (2.29 lbs)

## MOUNTING OPTIONS

Mounting holes: 2 x M5 screw holes 150 mm (6 in) apart  
Mounting screws: 2 x M5 screws (Max insertion depth: 3.8 mm)

## REGULATORY NUMBER

Lifesize Icon 400 = LFZ-033

\*Requires a Lifesize Cloud subscription

\*\*Through Lifesize Cloud Amplify, sold separately.



## HEADQUARTERS

Austin, Texas, USA  
+1 512 347 9300  
Toll Free US +1 877 543 3749

## EMEA REGIONAL OFFICE

Munich, Germany  
+49 89 20 70 76 0  
Toll Free Europe +00 8000 999 09 799

## APAC REGIONAL OFFICE

Singapore  
+65 6303 8370



www.lifesize.com  
E-mail: info@lifesize.com

# lifesize®

©2016 Lifesize, Inc. All rights reserved. Information contained in this document is subject to change without notice. Lifesize and the Lifesize logo are registered trademarks of Lifesize, Inc. All other trademarks are the property of their respective owners.

DS\_Icon400\_A4\_0116